INDEX

Actenodes calcarata, 211.
Acmæodera conoidea, 211.
  larreæ, 211.
Acythopeus orchivora, 125.
Ægeria tipuliformis, 472.
Agonoderus pallipes, 418.
Agricultural index, 269.
  workers, coöperation, 405–10.
Allomyia juniperi, 380.
American Association of Economic Entomologists
  Business proceedings, 1.
  Employment bureau, 5.
  Journal, report, 3.
  membership committee report, 11.
  National museum committee report, 7.
  Pacific Slope Branch, Proceedings, 275.
  Resolutions, 9.
  Secretary, report, 2.
Amorphota orgyiæ, 386.
Anasa armigera, 471, 472.
  repetita, 471, 472.
  tristis, 471.
Anastrepha fraterculus, 457–67.
Ancylis comptana, 42–45.
Angoumois grain moth, 87–92, 358.
Anomala binotata, 140–143.
Anthonomus bisignatus, 126.
Anthracophaga distichliæ, 386.
Anthrax, 480.
Aphids, economic, 289–293.
Aphis bakeri, 291, 328, 333.
  cerasifoliæ, 291.
  cratægifoliæ, 333.
  helichrysi, 328.
  prunifoliæ, 290.
  sensoriata, 330.
  viburnicola, 329.
Apiculture, 200.
Aporia cratægi, 126.
Apple ermine moth, 55–56.
Apple leaf hoppers, 144–148.
Apple tent caterpillar, 386, 431.
Arsenates, calcium, 57–61.
Arsenate of lead, 62–66.
Arsenate sprays, spreaders, 66–69.
Asphondylia dondiæ, 381.
Atsatt, R. F., 299–307.

Back, E. A., 411–414.
Ball, E. D., 100, 200–205.
Ballou, H. A., 236–245.
Barber, G. W., 268.
Bean weevil, 358.
Becker, G. G., 245–255, 431.
Beckwith, C. S., 395–401.
Bee poisoning, 433.
Beet army worm, 480.
Beet leafhopper, 308–312.
Bishopp, F. C., 104, 116, 194.
Blackman, W. M., 433.
Blapstinus, 480.
Blatta orientalis, 425.
Blatella germanica, 425.
Blechrus glabratus, 417.
Body louse, 403–405.
Bollworm, pink, 236–245.
Bombyllid flies, 480.
Boric acid, 426.
Borax, powdered, 427.
Bracon xanthostigmus, 456.
Bragg, L. C., 328–333.
Brain, C. K., 339–341.
Brooks, F. E., 480.
Brown-tail moth, 268.
Bruchus obtectus, 358.
Buprestidæ, Southwestern, 209–211.
Buprestis adjecta, 337.
  apricans, 337.
  aurulenta, 337.
  confluens, 335.
  connexa, 336.
  consularis, 336.
  gibbsii, 335.
  læviventris, 336.
  langii, 337.
  linĕata, 335.
  maculiventris, 336.
  nuttalli, 336.
  rufipes, 335.
  rusticorum, 336.
  striata, 337.
  subornata, 336.
  villosa, 337.
Burger, O. F., 278–288.
Burgess, A. F., 101, 105.
Burke, H. E., 209–211, 334–338.
Burrill, A. C., 421–424.

Cabbage worm, imported, 79–81.
Coccus citricola, 323.
Caffrey, D. J., 363–367.
Calandra oryza, 314.
Calcium arsenates, 57–61.
Calcium arsenite, 354–357.
California pistol case bearer, 446–452.
Calophya nigripennis, 467–471.
Camp sanitation and insects, 93–99.
Canker worm, 164–166.
Carpocapsa pomonella, 474.
Carr, E. G., 347–351.
Case bearer, California pistol, 446–352.
Casnonia pennsylvanica, 418.
Catabomba pyrastri, 281.
Castor bean insects, 480.
Cherry leaf beetle, 431.
Chigger mites, 256–264, 386.
Childs, Leroy, 224–231, 387.

Chinch bug, 415–419.
poison, 186–188.
Chinese silk industry, 410.
Chittenden, F. H., 453–457.
Chlorpicrin, 357–362.
Chloropisca glabra, 368–380.
Cholus cattleyæ, 125.
forbesii, 125.
Chromaphis juglandicola, 278.
Chrysobothris axillaris, 210,
breviloba, 211.
debilis, 210.
edwardsii, 210.
exesa, 211.
gemmata, 211.
ignicollis, 210
ludificata, 210.
merkelii, 211.
octocola, 210.
texana, 211.
trinervia, 211.
Chrysopa californica, 281.
oculata, 416.
rufilabris, 416.
Chrysomphalus aurantii, 323.
Clover pests, 421–424.
Clytus devastator, 411–414.
Cockerell, T. D. A., 195–200, 388, 432.
Cockroach control, 424–429.
Cocoons and hogs, 481.
Codling moth, 224–231, 387, 474.
Cooley, R. A., 16–27, 104, 118.
Cory, E. N., 269.
Corythucha essigi, 385.
Cottonwood mite, 430.
Crown gall, 133–135.
Culicidæ of Colorado, 387.
Culiseta incidens, 300.
Currant clearwing moth, 472.
Cyanide fumigation, 294–299.
Cyclocephala villosa, 136–140.

Davidson, W. M., 289–293, 446–452.
Davis, J. J., 117, 405–410.
Dean, G. A., 101, 106.
De Ong, E. R., 434, 480, 482.
Dermacentor venustus, 188.
Diabrotica vittata, 75–79.
Diatræa saccharalis, 481.
Dietz, H. F., 168.
Dindymus versicolor, 475.
Diorymellus lævimargo, 125.
Diprion simile, 124.
Distillate oils, 304, 305.
Doane, R. W., 313–319.
Drake, C. J., 385.

Earwig, 475.
European, 338, 432.
Economic entomology in the service of the nation, 16–27.
Eleodes tricostata, 212–224, 388.
Empoa rosæ, 144–146.
Empoasca mali, 146–147.
unicolor, 147–148.
Entomological extension work, 157–163.
Entomological research, report on, 277.
Entomophthora chromaphidis, 288.
Ephestia kuhniella, 358.
Eriophyes, cottonwood, 430.
Eriophyes ramosus, 149.
Erioseoma cratægi, 253.
lanigera, 245.
Essig, E. O., 338.
Euetheola rugiceps, 431.
Eumicrosoma benefica, 415.
Eupelmus saltator, 168–175.
Euproctis chrysorrhœa, 126, 268.
Eurydinota flavicorpus, 452.
Euthrombidium trigonum, 202.
Eutettix tenella, 308–312.
Evetria buoliana, 123.
Ewing, H. E., 256–264, 401–404.

Felt, E. P., 93–99, 100, 102, 114, 380–384, 386.
Fernald, H. T., 327.
Field book of insects, 271.
Field crickets, 433.
Flatheaded borers, 334.
Flint, W. P., 186–188, 415–419.
Flour beetle, confused, 315, 358.
rust red, 315.
Fly suppresion, 339–341.
Food, stored, pests, 313.
Forbes, S. A., 40–41.
Forbes, W. T. M., 481.
Forficula auricularia, 338, 475.
Foul brood, 351–353.
American, 200–205.
Fracker, S. B., 133–135.
France, L. V., 265–267.
Freeborn, S. B., 299–307.
Fumigation experiments, 320–324.

Galerucella cavicollis, 431.
Gall midges, 380–384.
Galleria mellonella, 444.
Garman, Philip, 57.
Gelechia gossypiella, 236–245.
Gentner, L. G., 79–81.
Gillette, C. P., 328–333.
Goodwin, W. H., 105, 166.
Gossard, H. A., 39, 105, 109.
Gracillaria zachrysa, 123, 482.
Graham, S. A. 70–75.
Grain beetle, saw-toothed, 315.
Grain insects, 313.
Granary weevil, 315.
Grasshoppers, alfalfa eaten by, 185.
baits, 175–186.
injuries, 480.
Gryllotalpa gryllotalpa, 123.
Gryllus assimilis, 480.
integer, 433.

Hadley, C. H., 157.
Haplothrips statices, 423.
Harlequin fruit-bug, 475
Hartzell, Albert, 386.

Hartzell, F. Z., 32–39, 62–66.
Haseman, L. 120–122.
Hayes, W. P., 136–144.
Headlee, T. J., 103, 117, 194, 395–401.
Heliothrips fasciatus, 424.
Hemileuca oliviæ, 363–367.
Hippodamia convergens, 281, 321, 322, 342.
maculata, 415.
Hodgkiss, H. E., 149.
Hogs and cocoons, 481.
Holland, E. B., 354–357.
Hologamasus inarmatus, 423, 424.
Honey bee disease, 347–351.
Hop aphis, 289.
Howard, C. W., 265–267.
Howard, L. O., 482.
Howard, N. F., 75–79, 82–85.
Hunter, S. J., 40, 164–166.
Hunter, W. D., 487.
Hutchinson, R. H., 403–405.

Indian meal moth, 358.
Insect injury, graphic illustration, 32–39.
Insectary, portable, 476–79.
Insecticides, contact, action, 443–446.
Insect and camp sanitation, 93–99.
Insects, field book, 271.

Kerosene, toxicity of, 70–75.
King, J. L., 87–92, 100.
Knab, Frederick, 484.

Laspeyresia molesta, 57.
Laphygma flavimaculata, 480.
Lathrop, F. H., 144–148.
Leaf hoppers, apple, 144–148.
Littler, F. M., 472.
Longistigma caryæ, 30.
Lopidea media, 431.
Lotus borer, 453–457.
Louse, body, 403–405.
Lovett, A. L., 57–61, 66–69, 150.
Lutz, F. E., 271.
Lygus pratensis, 445.

Macrosiphum granaria, 291.
granarium, 29, 30.
solanifolii, 291.
Magdalis barbicornis, 125.
Malacosoma americana, 432.
Malloch, J. R., 387.
Marsh, H. O., 438.
Maxson, A. C., 231–236.
McColloch, J. W., 212–224.
McConnell, W. R., 168–175.
McGregor, E. A., 342.
Mediterranean flour moth, 313, 358.
Melanophila pini-edulis, 210.
Metarthrombium poriceps, 256.
Metcalf, C. L., 105.
Microthrombidium pusillum, 258.
tlazahuatl, 261.
wichmanni, 259.
Missouri inspection, 120–122.
Molasses, poison, adhesive, 62–66.
spray, 269.
Mole cricket, European, 123.
Monarthropalpus buxi, 123, 269.
Moore, Wm., 70–75, 342, 357–362, 443–446.
Morrill, A. W., 175–186.
Mosquito bites, palliatives, 401–404.
flight, 194.
larvæ, 299.
Mosquitoes of Colorado, 195–200.
Mycodiplosis packardi, 382.
Myzus persicæ, 290.

New Jersey imported pests, 122–125.
Nicolay, A. S., 467–471.
Nicotine oleate, 341.
sulphate, 149.
Nysius vinitor, 473.

O'Gara, P. J., 430.
O'Kane, W. C., 28, 40, 103.
Olethreutes hemidesma, 269.
Olla abdominalis, 281.
Onion maggot, 82–85.
Onodiplosis sarcobati, 384.
Orange borer, 411.
Orchid fumigation, 168.
Osborn Herbert, 101, 112.
Otacustes periliti, 386.

Paddock, F. B., 29–32, 351–353.
Pagasa fusca, 417, 419.
Palliatives, mosquito bites, 401–404.
Panzeria penitalis, 456.
Parker, J. R., 368–380.
Parker, R. R., 189–194.
Parks, H. B., 388.
Parks, T. H., 157–163.
Parrott, P. J., 55–56.
Parshley, H. M., 471, 472.
Peach thrips, 434.
tree borer, 46–53.
Pediculus corporis, 403–405, 445.
humanus, 403.
Pegomyia ceparum, 82–85.
Pemphigus betæ, 231–236, 290, 379.
Peridermium strobi, 124.
Pests, imported, 125–129.
Peterson, Alvah, 46–53, 54.
Petroleum oils, 299–307.
Pettey, F. W., 420.
Pettit, R. H., 435.
Phorodon humuli, 289.
Pink bollworm, 486.
Plagiodera versicolor, 123.
Plodia interpunctella, 358.
Poisoned bait for onion maggot, 82–85.
Popilia japonica, 124.
Poplar canker, European, 129–133.
Porthesia similis, 126.
Potato wart disease, 431.
Primm, J. K., 129–133.
Psychoda alternata, 395–401.
cinerea, 396.

Pyrausta nubilalis, 327, 453–457.

Quayle, H. J., 294–299.
Queen bee fertilization, 265–267.

Reduviolus ferus, 417.
Retinodiplosis albitarsis, 383.
Rhagoletis fausta, 325–327.
Rice weevil, 314.
Rocky mountain fever tick, 189–194.
Rust, E. W., 457–467.
Rutherglen fruit bug, 473.

Sanders, J. G., 92.
Sanninoidea exitiosa, 46–53.
Sarcophaga eleodis, 266.
Sasscer, E. R., 125–129, 168.
Schongastia vandersandei, 260.
Sciara pauciseta, 420.
trifolii, 420.
Severin, H. H. P., 308–312, 325–327.
Silk industry, Chinese, 410.
Silvanus surinamensis, 315, 358.
Sitotroga cerealella, 87–92, 358.
Snapp, O. I., 481.
Sodium cyanide, 321.
fluoride, 194.
Spreaders, poison, 66–69.
Sprinkling sewer filter fly, 395–401.
Squash bug, 471.
Stafford, E. W., 481.
Stephanitis pyrioides, 124.
Strawberry leaf roller, 42–45.
Sugar cane borer, 481.
Swain, A. F., 278–288, 320–324.
Swenk, M. H., 107.
Sympherobius angustus, 281.

Tagging trees, 480.
Taking stock, 28.
Tarnished plant bug, 445.
Tasmania, notes from, 472.
Texas aphid notes, 29–32.
Thecodiplosis cockerelli, 381.
Thomas, W. W., 308–312.
Thrips on peach, 434.
Thrombidium muscarum, 264.
striaticeps, 259.
Tribolium confusum, 315, 358.
navale, 315.
Trichogramma minutum, 205–209.
Trimble, T. M., 268.
Triosa alacris, 124.
Triphleps insidiosus, 415, 417.
tristicolor, 422.
Troop, James, 433.
Tyndaris olneyæ, 211.
Tyroglyphus longior, 315.

Ureates, toxic action, 105.

Van Dyke, E. C., 431.
Vinal, S. C., 437.
Vosler, E. J., 485.

Walnut aphis, 278.
Walter, E. V., 424–429.
Warble, caribou, 482.
Wax moth, 444.
Webster, R. L., 42–45, 116, 269.
Weiss, H. B., 122–125, 467–471.
Willcocks, F. C., 486.
Wilson, H. F., 79–81.
Wireworms false, 212–224.
Wolcott, G. N., 205–209.
Woodworth, C. W., 410.
Woolly aphis, 245–255.

Young, A. N., 476–79.
Yponomeuta padellus, 55–56.

Zemelucha facilis, 456.
Zinc labels, 480.